




FIG. 5










FIG. 8




FIG. 9





Fig. 10






Fig. 12




Fig. 13




Fig. 14






Fig. 15



AO 550 REG VALVET P. addi. Properties... VALVE POS Regare Him,Cél. Delete 582 Show Parameter.... Filered by ICICID ICIDID IN THE ICIDID IN TH Hide Peremeter Atphabetic Cntegorized OUT Properties 7 2 Parameter. Default Assign Input FB 462 -3 Parameter names Linear CHARACT OK Show Selected dur. Show Parameters 30 Property: our . Filter Parameter List PRESSURE RANGEABILITY What's this? SPECIFIC GRAV 1.0 Control Middule Path 576 50° VALVE_POS Module Block . FIC10/AI3 OUT PRESSURE Browse... FIC10/AI3 VALVE_POS FIC10/A01 (A)

Fig. 16B






Fig. 18






Fig. 19




Fig. 20






Fig. 21

Conditions	BUSKR	N A		
facilities in a second of the second	Contents of Little Condi		Branch Control of the	The state of the s
M_EVAPORATOR1	The wante to the state of the	بستر وزيية جندية والإدام وأباد	representation of relative contractions	Chinas a mar
Models	70%			
- Startup			- 600	***
Normal 2		imai Conduid	ns-Normal2	- 42t
Out Steams & Internal.	In Steems & Physic		Out Strams & Infernal .	Value:
Product - Density	Feed - Flow	· 500 43.2	Product - Density	65.4
D- H Chest Pressure	Steam - Flow	320	Product - Temperature Chest Pressure	280 '
D-+ Dome Pressure	Steam - Temperatur		Dome Pressure	30.5
In Streams & Physical	Fouling Factor	1.0	1	30.3
Feed - Flow				1
Seam-Flow				
B Steam Temperature	1111			
⊞ → FoulngFactor				
— ☐ [initial Conditions]				
1_ }				
712	11.4		l'i	
112				
Į.				

Fig. 22





Fig. 23

	800
Film Edit, viele, Options, Applications, Help	X EL CHARLES AND
	PROPERTY.
Models.	Contempor Streams and Parameters
(UNTILED)	
Streams and Parameters Model Setup	24
# - ☐ Models COG	In Streams, Tout Streams (Balameters)
40% 400	Name Type Rosition Composition
હા ઇ	Green Liquor Liquid 6 Liquor Add.
	3 Modfpu
t:	Delete
Ţ.	
802	
V	804

Fig. 24






Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30

BEST AVAILABLE COPY




Fig. 31

